

# THINNER FOR FOR EPOXY PRIMERS



## Technical information

<b>Product components:</b>	Thinner – component C
<b>Product Description:</b>	Thinner for primers is a mixture of properly selected organic solvents. The product is intended for diluting epoxy primers Sea-Line®. It allows in the end to obtain a product with strictly defined parameters. It ensures their proper application, spreading and drying. Detailed proportions of use are listed in the technical sheets of individual products.
<b>Physiochemical characteristics:</b>	
Colour of product:	transparent,
Density of the mixture:	0,853 kg/l
<b>Method of application:</b>	spray gun, brush, roller
<b>Health and safety conditions:</b>	Please follow safety instructions from the technical data sheet for hazardous chemical and follow workplace safety laws. The general rule is to avoid contact of the liquid product with the skin and eyes. When using the product in a small, enclosed spaces you must provide forced ventilation. It is also recommended that you protect your respiratory system, eyes, and skin. Special care should be taken in the area of fire protection and explosion hazards.
<b>Storage:</b>	The product components should be stored in tightly closed containers, in a temperature of 5÷35°C, away from sources of fire, heat and sunlight. Close the containers tightly immediately after every use. Store in a dry place and keep sealed cans until use.
<b>Expiration date:</b>	Thinner (component C) - 12 months from the date of production.
<b>Quality guarantee:</b>	Production, quality control and delivery fulfil the requirements of ISO standards 9001 and 14001

---

All data in this document have been prepared for informational purposes. We can not take responsibility for the results of user actions over which we have no control. Responsibility of the user is to make the test sample and determine the suitability of the product for individual applications. Sea-Line do not take responsibility for any damages, or loss of profits associated with the improper use of the products.

All information is based on scrupulous laboratory research and many years of experience. Our position of market leadership does not free us from constant quality control of our products. However, we do not accept responsibility for the effects of improper use or storage of our products, or for the effects of using our products in any way contrary to the standards of good workmanship.

TROTON sp. z o.o. Ząbrowo.