

| Printing: 19/07/2022 Date of compilation: 16/09/2018 Revised: 19/07/2022 Version: 4 (Replaced 3) SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING | |
|--|------------|
| Section 1. Dentification of the Sobstrates functione and of the contract of the contract of the | |
| | |
| 1.1 Product identifier: S1 SOFT CUT & GLOSS | |
| Other means of identification: | |
| UFI: 2JH5-83K7-X003-87AX | |
| 1.2 Relevant identified uses of the substance or mixture and uses advised against: | |
| Relevant uses: Car repair; polishing paste | |
| Uses advised against: All uses not specified in this section or in section 7.3 | |
| 1.3 Details of the supplier of the safety data sheet: | |
| Troton Sp. z o.o. Ząbrowo 14A | |
| 78-120 Gościno - Zachodniopomorskie - Polska | |
| Phone: +48 94 35 123 94 - Fax: +48 94 35 126 22 troton@troton.com.pl | |
| www.troton.pl / www.troton.eu | |
| 1.4 Emergency telephone number: (8am-4pm)+48 094 35 123 94; 112 | |
| | |
| SECTION 2: HAZARDS IDENTIFICATION | |
| 2.1 Classification of the substance or mixture: | |
| CLP Regulation (EC) No 1272/2008: | |
| Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008. | |
| Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412 | |
| Eye Irrit. 2: Eye irritation, Category 2, H319 2.2 Label elements: | |
| CLP Regulation (EC) No 1272/2008: | |
| Warning | |
| | |
| | |
| Hazard statements: | |
| Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Eye Irrit. 2: H319 - Causes serious eye irritation. | |
| Precautionary statements: | |
| P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. | |
| P264: Wash thoroughly after handling. | |
| P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection. | |
| P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present ar | nd easy to |
| do. Continue rinsing. | |
| P337+P313: If eye irritation persists: Get medical advice/attention. P501: Dispose of contents/container according to the separated collection system used in your municipality. | |
| Supplementary information: | |
| EUH066: Repeated exposure may cause skin dryness or cracking. | |
| 2.3 Other hazards: | |
| Product fails to meet PBT/vPvB criteria | |
| Endocrine-disrupting properties: The product fails to meet the criteria. | |
| SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS | |
| 3.1 Substance: | |
| Non-applicable | |
| 3.2 Mixture: | |
| | |



Printing: 19/07/2022 Date of compilation: 16/09/2018 Revised: 19/07/2022 Version: 4 (Replaced 3)

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Mixture composed of chemical products

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

| | Identification | | Chemical name/Classification | | Concentration |
|-------------------------|--|----------------------|--|-----------------|---------------|
| | Non-applicable | Hydrocarbons, C10-C | C13, n-alkanes, isoalkanes, cyclics, <2% aromatics ⁽¹⁾ | Self-classified | |
| EC: Index: REACH: | 918-481-9 Non-applicable 01-2119457273-39- XXXX | Regulation 1272/2008 | Asp. Tox. 1: H304; EUH066 - Danger | * | 10 - <25 % |
| CAS: | 128601-23-0 | Hydrocarbons, C9, a | romatics ⁽¹⁾ | Self-classified | |
| EC: Index: REACH: | 918-668-5 Non-applicable 01-2119455851-35- XXXX | Regulation 1272/2008 | Aquatic Chronic 2: H411; Asp. Tox. 1: H304; Flam. Liq. 3: H226; STOT SE 3: H335; STOT SE 3: H336; EUH066 - Danger | | 5 - <10 % |
| CAS: | 166736-08-9 | 2-propylheptanol, et | hoxylated, propoxylated, polymer ⁽¹⁾ | Self-classified | |
| EC: Index: REACH: | Non-applicable Non-applicable Non-applicable | Regulation 1272/2008 | Acute Tox. 4: H302; Eye Dam. 1: H318 - Danger | | 5 - <10 % |

(1) Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

| Identification | Specific concentration limit |
|----------------|---|
| | % (w/w) >=10: Eye Dam. 1 - H318 1<= % (w/w) <10: Eye Irrit. 2 - H319 |

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:



| | : 19/07/2022 | Date of compilation: 16/09/2018 | Revised: 19/07/2022 | Version: 4 (Replaced 3) | | | |
|-------------------------|--|--|--|---|--|--|--|
| - | | GHTING MEASURES (continued) | | | | | |
| | | guishing media: | | | | | |
| | Product is non-f substances. In t extinguishers (A | lammable under normal conditions of st | nproper manipulation, storage | or use preferably use polyvalent powder | | | |
| | IT IS RECOMME | NDED NOT to use full jet water as an e | xtinguishing agent. | | | | |
| 5.2 | Special hazard | Is arising from the substance or mi | xture: | | | | |
| 5.3 | | mbustion or thermal decomposition rea an present a serious health risk. fighters: | ctive sub-products are created | that can become highly toxic and, | | | |
| | | Im emergency facilities and equipment s 9/654/EC. | | hing and self-contained breathing apparatus ets, portable first aid kit,) in accordance | | | |
| | Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium. | | | | | | |
| | combustion, exp | plosion or BLEVE as a result of high tem | | | | | |
| SEC | combustion, exp aqueous mediur | plosion or BLEVE as a result of high tem | | | | | |
| | combustion, exp aqueous mediur | plosion or BLEVE as a result of high tem n. ENTAL RELEASE MEASURES | peratures. Avoid spillage of the | | | | |
| SEC ⁻ 6.1 | combustion, exp aqueous medium TION 6: ACCIDE Personal preca | blosion or BLEVE as a result of high tem n. ENTAL RELEASE MEASURES autions, protective equipment and | peratures. Avoid spillage of the | | | | |
| | combustion, exp aqueous medium FION 6: ACCIDE Personal preca For non-emerg Isolate leaks pro without protection Above all prever Remove any sou | biosion or BLEVE as a result of high tem n. ENTAL RELEASE MEASURES autions, protective equipment and gency personnel: bioided that there is no additional risk for on. Personal protection equipment must at the formation of any vapour-air flammurce of ignition. Eliminate electrostatic c form, and also ensuring that all surface | peratures. Avoid spillage of the emergency procedures: r the people performing this ta be used against potential cor nable mixtures, through either harges by interconnecting all t | sk. Evacuate the area and keep out those tact with the spilt product (See section 8). ventilation or the use of an inert medium. he conductive surfaces on which static | | | |
| | combustion, exp aqueous medium FION 6: ACCIDE Personal preca For non-emerg Isolate leaks pro- without protection Above all prever Remove any sou electricity could | biosion or BLEVE as a result of high tem n. ENTAL RELEASE MEASURES autions, protective equipment and gency personnel: bioided that there is no additional risk for on. Personal protection equipment must at the formation of any vapour-air flammurce of ignition. Eliminate electrostatic c form, and also ensuring that all surface | peratures. Avoid spillage of the emergency procedures: r the people performing this ta be used against potential cor nable mixtures, through either harges by interconnecting all t | sk. Evacuate the area and keep out those tact with the spilt product (See section 8). ventilation or the use of an inert medium. he conductive surfaces on which static | | | |
| | combustion, exp aqueous medium FION 6: ACCIDE Personal prece For non-emerg Isolate leaks pro without protection Above all prever Remove any sou electricity could For emergence | blosion or BLEVE as a result of high tem n. ENTAL RELEASE MEASURES autions, protective equipment and gency personnel: ovided that there is no additional risk for on. Personal protection equipment must not the formation of any vapour-air flammurce of ignition. Eliminate electrostatic c form, and also ensuring that all surface y responders: | peratures. Avoid spillage of the emergency procedures: r the people performing this ta be used against potential cor nable mixtures, through either harges by interconnecting all t | sk. Evacuate the area and keep out those tact with the spilt product (See section 8). ventilation or the use of an inert medium. he conductive surfaces on which static | | | |
| 6.1 | combustion, exp aqueous medium FION 6: ACCIDE Personal prece For non-emerg Isolate leaks pro- without protection Above all prever Remove any sou- electricity could For emergency See section 8. Environmenta Avoid at all cost | Dission or BLEVE as a result of high tem n. ENTAL RELEASE MEASURES autions, protective equipment and gency personnel: ovided that there is no additional risk for on. Personal protection equipment must ht the formation of any vapour-air flamm arce of ignition. Eliminate electrostatic c form, and also ensuring that all surface y responders: I precautions: | emergency procedures: r the people performing this ta be used against potential cornable mixtures, through either harges by interconnecting all t s are connected to the ground edium. Contain the product ab | sk. Evacuate the area and keep out those sk. Evacuate the area and keep out those stact with the spilt product (See section 8). ventilation or the use of an inert medium. he conductive surfaces on which static | | | |

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

- CONTINUED ON NEXT PAGE -



Printing: 19/07/2022 Date of compilation: 16/09/2018 Revised: 19/07/2022 Version: 4 (Replaced 3) SECTION 7: HANDLING AND STORAGE (continued) D.- Technical recommendations to prevent environmental risks Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity. 7.2 Conditions for safe storage, including any incompatibilities: A.- Technical measures for storage Minimum Temp.: 0 % 45 °C Maximum Temp.: 24 Months Maximum time: B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

| | Short e | xposure | Long exposure | | |
|-----------------------------|------------|----------------|----------------|-----------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Hydrocarbons, C9, aromatics | Oral | Non-applicable | Non-applicable | Non-applicable | Non-applicable |
| CAS: 128601-23-0 | Dermal | Non-applicable | Non-applicable | 25 mg/kg | Non-applicable |
| EC: 918-668-5 | Inhalation | Non-applicable | Non-applicable | 150 mg/m ³ | Non-applicable |

DNEL (General population):

| | Short e | xposure | Long exposure | | |
|-----------------------------|------------|----------------|----------------|----------------------|----------------|
| Identification | | Systemic | Local | Systemic | Local |
| Hydrocarbons, C9, aromatics | Oral | Non-applicable | Non-applicable | 11 mg/kg | Non-applicable |
| CAS: 128601-23-0 | Dermal | Non-applicable | Non-applicable | 11 mg/kg | Non-applicable |
| EC: 918-668-5 | Inhalation | Non-applicable | Non-applicable | 32 mg/m ³ | Non-applicable |

PNEC:

Non-applicable

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.

C.- Specific protection for the hands

| Pictogram | PPE | Labelling | CEN Standard | Remarks |
|------------------------------|---|-----------|---|--|
| Mandatory hand protection | NON-disposable chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.4 mm) | | EN ISO 374-1:2016+A1:2018 EN 16523-1:2015+A1:2018 EN ISO 21420:2020 | The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. |

- CONTINUED ON NEXT PAGE -



| nting: 1 | 19/07/2022 D | ate of co | mpilation: 16/09 | /2018 | Revise | d: 19/07/2022 | Ver | sion: 4 (Replaced 3) |
|---|---|---|--|------------|--|---|--|---|
| SECTI | ON 8: EXPOSURE | CONTR | OLS/PERSON | AL PROTECT | ION (| continued) | | |
| | As the product is total reliability ar D Eye and face pro | d has the | | | | | rial car | n not be calculated in advance with |
| | Pictogram | | PPE | Labelling | | CEN Standard | | Remarks |
| | Mandatory face protection | ic glasses against h/projections. | | | EN 166:2002 EN ISO 4007:2018 | | daily and disinfect periodically according to nanufacturer 's instructions. Use if there is a risk of splashing. | |
| | E Body protection | | | | | | | |
| | Pictogram | | PPE | Labelling | | CEN Standard | | Remarks |
| | Mandatory complete body protection | | able clothing for n against chemical risks | | | 13034:2005+A1:2009 EN 168:2002 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2013 EN ISO 6529:2005 EN 464:1994 | | r professional use only. Clean periodically ording to the manufacturer 's instructions. |
| | F Additional emerg | ency mea | sures | | | | | |
| | Emergency me | Emergency measure | | Standards | | Emergency measure | | Standards |
| | Emergency sh | ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011 | |)11 | DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011 | | | |
| In accordance with the community legislation for the protection of the environment it is recommended to avoid envi spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 25 % weight V.O.C. density at 20 °C: 300 kg/m ³ (300 g/L) Average carbon number: 11,4 Average molecular weight: 128 g/mol | | | | | | | | |
| SECTI | ON 9: PHYSICAL | and ch | emical prof | PERTIES | | | | |
| | Information on ba | | | | s: | | | |
| | Physical state at 20 ° | PC: | | Liqu | id | | | |
| | Appearance: | | | Past | e | | | |
| | Colour: | | | | Turqu | oise | | |
| | Odour: | | | Cha | racteri | stic | | |
| | Odour threshold: Volatility: | | | Non | -applic | able * | | |
| | Boiling point at atmc | spheric d | ressure: | 100 | ٥C | | | |
| | | · · · | | | | | | |

*Not relevant due to the nature of the product, not providing information property of its hazards.

Vapour pressure at 20 °C:

Vapour pressure at 50 °C:

Evaporation rate at 20 °C:

Product description:

Non-applicable *

2167 Pa

11427,97 Pa (11,43 kPa)

| Printing | : 19/07/2022 | Date of compilation: 16/09/2018 | Revised: 19/07/2022 | Version: 4 (Replaced 3) |
|----------|----------------------|---|----------------------------------|-------------------------|
| SECT | FION 9: PHYSIC | AL AND CHEMICAL PROPERTIE | S (continued) | |
| | Density at 20 °C: | : | 1210 kg/m³ | |
| | Relative density a | at 20 ºC: | Non-applicable * | |
| | Dynamic viscosity | y at 20 °C: | Non-applicable * | |
| | Kinematic viscosi | ty at 20 °C: | Non-applicable * | |
| | Kinematic viscosi | ty at 40 °C: | 21 mm²/s | |
| | Concentration: | | Non-applicable * | |
| | pH: | | 7,5 | |
| | Vapour density a | t 20 ºC: | Non-applicable * | |
| | Partition coefficie | ent n-octanol/water 20 °C: | Non-applicable * | |
| | Solubility in wate | r at 20 °C: | Non-applicable * | |
| | Solubility propert | ies: | Non-applicable * | |
| | Decomposition te | emperature: | Non-applicable * | |
| | Melting point/free | ezing point: | Non-applicable * | |
| | Flammability: | | | |
| | Flash Point: | | >65 °C | |
| | Flammability (sol | id, gas): | Non-applicable * | |
| | Autoignition temp | perature: | Non-applicable * | |
| | Lower flammabili | ity limit: | Non-applicable * | |
| | Upper flammabili | | Non-applicable * | |
| | Particle charac | teristics: | | |
| | Median equivaler | nt diameter: | Non-applicable | |
| 9.2 | Other informat | | | |
| | Information wi | ith regard to physical hazard clas | ses: | |
| | Explosive propert | | Non-applicable * | |
| | Oxidising propert | ies: | Non-applicable * | |
| | Corrosive to meta | als: | Non-applicable * | |
| | Heat of combusti | ion: | Non-applicable * | |
| | components: | rcentage (by mass) of flammable | Non-applicable * | |
| | Other safety ch | naracteristics: | | |
| | Surface tension a | at 20 ºC: | Non-applicable * | |
| | Refraction index: | | Non-applicable * | |
| | *Not relevant due to | the nature of the product, not providing info | rmation property of its hazards. | |

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

| Not applicable Not applicable Precaution Precaution | Not applicable |
|---|----------------|

- CONTINUED ON NEXT PAGE -



Printing: 19/07/2022 Date of compilation: 16/09/2018 Revised: 19/07/2022

Version: 4 (Replaced 3)

SECTION 10: STABILITY AND REACTIVITY (continued)

10.5 Incompatible materials:

| Acids | Water | Oxidising materials | Combustible materials | Others |
|--------------------|----------------|---------------------|-----------------------|-------------------------------|
| Avoid strong acids | Not applicable | Avoid direct impact | Not applicable | Avoid alkalis or strong bases |

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):
 - Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for skin contact. For more information see section 3.
 - Contact with the eyes: Produces eye damage after contact.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: Hydrocarbons, C9, aromatics (3)
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for inhalation. For more information see section 3.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
 - Skin: Repeated exposure may cause skin dryness or cracking
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:



| Printing: 19/07/2022 | Date of compilation: 16/09/2018 | Revised: 19/07 | 7/2022 V | ersion: 4 (Replaced 3) | |
|----------------------|--|----------------|-----------------|------------------------|-------|
| SECTION 11: TOXI | COLOGICAL INFORMATION (continu | ied) | | | |
| Non-applicable | | | | | |
| Specific toxic | ology information on the substances: | | | | |
| | Identification | | A | cute toxicity | Genus |
| Hydrocarbons, C1 | 0-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics | 5 | LD50 oral | >2000 mg/kg | |
| CAS: Non-applical | ble | | LD50 dermal | >2000 mg/kg | |
| EC: 918-481-9 | | | LC50 inhalation | >20 mg/L | |
| Hydrocarbons, C9 | , aromatics | | LD50 oral | >2000 mg/kg | |
| CAS: 128601-23-0 |) | | LD50 dermal | >2000 mg/kg | |
| EC: 918-668-5 | | | LC50 inhalation | >20 mg/L | |
| 2-propylheptanol, | ethoxylated, propoxylated, polymer | | LD50 oral | 500 mg/kg (ATEi) | |
| CAS: 166736-08-9 |) | | LD50 dermal | >2000 mg/kg | |
| EC: Non-applicabl | e | | LC50 inhalation | >20 mg/L | |
| 11.2 Information of | on other hazards: | | | | |
| Endocrine dis | rupting properties | | | | |

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable

SECTION 12: ECOLOGICAL INFORMATION

The experimental information related to the eco-toxicological properties of the product itself is not available

12.1 Toxicity:

Acute toxicity:

| Identification | Concentration | | Species | Genus |
|-----------------------------|---------------|----------------|---------|------------|
| Hydrocarbons, C9, aromatics | LC50 | >1 - 10 (96 h) | | Fish |
| CAS: 128601-23-0 | EC50 | >1 - 10 (48 h) | | Crustacean |
| EC: 918-668-5 | EC50 | >1 - 10 (72 h) | | Algae |

12.2 Persistence and degradability:

Not available

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available



| Printing: 19/07/2022 Date of compilation: 16/09/2018 Re | sed: 19/07/2022 Version: 4 (Replaced 3) |
|---|---|
|---|---|

12.5 Results of PBT and vPvB assessment:

SECTION 12: ECOLOGICAL INFORMATION (continued)

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

| Code | Description | Waste class (Regulation (EU) No 1357/2014) |
|------|---|---|
| | It is not possible to assign a specific code, as it depends on the intended use by the user | Dangerous |

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.



| Printing: | : 19/07/2022 Date of compilation: 16/09/2018 Revised: 19/07/2022 Version: 4 (Replaced 3) |
|-----------|--|
| SECT | TION 15: REGULATORY INFORMATION (continued) |
| 15.2 | Other legislation: The product could be affected by sectorial legislation Chemical safety assessment: The supplier has not carried out evaluation of chemical safety. |
| SECT | TION 16: OTHER INFORMATION |
| JLCI | |
| | Legislation related to safety data sheets: The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878). |
| | Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.: COMMISSION REGULATION (EU) 2020/878 |
| | Texts of the legislative phrases mentioned in section 2: H412: Harmful to aquatic life with long lasting effects. H319: Causes serious eye irritation. Texts of the legislative phrases mentioned in section 3: |
| | The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3 CLP Regulation (EC) No 1272/2008: |
| | Acute Tox. 4: H302 - Harmful if swallowed. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Eye Dam. 1: H318 - Causes serious eye damage. Flam. Liq. 3: H226 - Flammable liquid and vapour. STOT SE 3: H335 - May cause respiratory irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. |
| | Classification procedure: |
| | Aquatic Chronic 3: Calculation method Eye Irrit. 2: Calculation method Advice related to training: |
| | Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product. |
| | Principal bibliographical sources: |
| | http://echa.europa.eu http://eur-lex.europa.eu |
| | Abbreviations and acronyms: |
| | ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code IATA: International Air Transport Association ICAO: International Civil Aviation Organisation COD: Chemical Oxygen Demand BOD5: 5day biochemical oxygen demand |
| | BCF: Bioconcentration factor LD50: Lethal Dose 50 LC50: Lethal Concentration 50 |
| | EC50: Effective concentration 50 LogPOW: Octanolwater partition coefficient Koc: Partition coefficient of organic carbon UFI: unique formula identifier |
| | IARC: International Agency for Research on Cancer |

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.